Transducers for Vetus 7

Release V1.0

Doppler: 1.0.0





	Probe	Illustration	Parameters	Application	Biopsy kit
Micro-convex	C11-3s		Bandwidth: 2.6-12.8MHz FOV (max): 100° ExFOV:140° Radius: 15mm	Abdomen (Canine, Feline), Cardiology (Canine, Feline), Reproduction (Canine, Feline), Small Parts (Canine, Feline)	NGB-018, multi angle, reusable
Convex	C6-2s		Bandwidth: 1.3-5.7MHz FOV (max): 60° ExFOV:100° Radius: 60mm	Abdomen (Canine), Reproduction (Canine, Equine, Bovine, Ovine)	NGB-022, multi angle, reusable
Linear	L12-4s		Bandwidth: 4.4-13.5MHz FOV (max): 38mm	Abdomen (Canine , Feline), Small Parts (Canine, Feline)	NGB-007, multi angle, reusable
Phased	P8-2s		Bandwidth: 2.3-7.2MHz FOV (max): 90°	Cardiology (Canine, Feline), Abdomen (Canine, Feline)	Not available
	P10-4s	SUP	Bandwidth: 3.0-11.4MHz FOV (max): 90°	Cardiology (Canine, Feline), Abdomen (Canine, Feline)	Not available
	P4-2s	Ser 1	Bandwidth: 1.3-4.6MHz FOV (max): 90°	Cardiology (Canine, Equine, Bovine, Ovine)	NGB-011, multi angle, reusable
Intrarectal	6LE5Vs		Bandwidth: 3.6-13.5MHz FOV:47.6mm	Reproduction (Equine, Bovine, Ovine)	Not available

