

Underwater Treadmill



AT3

1. Adjustable treadmill speed: 0.1- 4.0 Km/Hr
2. Touch Screen Display user Interface
3. Fully lift up base floor for easy deep cleaning
4. With overhead Arm and Support structure holding system
5. Emergency Switch (Door is optional)



AT4

1. Adjustable treadmill speed: 0.1-4.0 Km/Hr
2. Adjustable treadmill slope: 4 levels
3. Touch Screen Display user Interface
4. Fully lift up base floor for easy deep cleaning
5. Repositionable nozzle spa (Jet) on glass surface
6. Circulating water filtration system
7. With overhead Arm and Support structure holding system
8. Emergency Switch (Door is optional)



AT5 ULTIMA

1. Adjustable treadmill speed: 0.1-4.0 Km/Hr
2. Adjustable treadmill height: 0-0.55 meters
3. Adjustable treadmill slope: 4 levels
4. Automatic water filling and draining in the chamber
5. Touch Screen Display user Interface
6. One side opening door
7. Fully lift up base floor for easy deep cleaning
8. Repositionable nozzle spa (Jet) on glass surface
9. Circulating water filtration system
10. With overhead Arm and Support structure Holding system
11. Emergency Switch

Main Features of AT5 ULTIMA - TOP RECOMMEND!

1. Adjustable treadmill speed: 0.1-4.0 Km/Hr




2. Adjustable treadmill height: 0-0.55 meters



3. Adjustable treadmill slope: 4 levels



4. Automatic water filling and draining in the chamber



5. Moveable Touch Screen Display user Interface




6. One side opening door




Main Features of AT5 ULTIMA - TOP RECOMMEND!

7. Fully lift up base floor for easy deep cleaning



8. Moveable nozzle spa (Jet) on glass surface



9. With overhead Arm and Support structure Holding system



10. Emergency Switch










11. Running Belt material: Polyurethane (PU)



12. Circulating water filtration system



Comparison List Among Kanistar with others

Model	AT5 Ultima PetCube	HydroWorx K900	AquaPaws Mod Pro	for dogs PREMIUM	AquaPaws Plus	OASIS PRO	Canine Hydrotherapy Treadmills
Country	China	USA	USA	Germany	USA	USA	UK
Feature							
	AT5 Ultima PetCube	HydroWorx K900	AquaPaws Mod Pro	for dogs PREMIUM	AquaPaws Plus	OASIS PRO	Canine Hydrotherapy Treadmills
Full Dimension	215L x 103W x 140H cm 85"L x 41"W x 55"H	215.90L x 86.4W x 127H cm 85"L x 34"W x 50"H	205.7L x 81.3W x 118.3L cm 81"L x 32"W x 46.5"L	167W x 106H cm 65.7"L x 41.7"H	237L x 87W x 103H cm 94"L x 34"W x 41"H	254L x 142.2W x 101.6H cm 100"L x 56"W x 40"H	215L x 86W x 126.5H cm 85"L x 34"W x 50"H
Chamber size	175L x 85W x 97H cm 69"L x 34"W x 38"H	209.6L x 71.1W cm 82.5"L x 28"W	166.4L x 54.6W x 88.9H cm 65.5"L x 21.5"W x 35"L	166L x 55W x 88H cm 65.4"L x 21.7"W x 34.6"H	197L x 77W x 91H cm 77.6"L x 30"W x 36"H	200L x 86W x 81H cm 78"L x 34"W x 32"H	198.1L x 99.1W x 119.4H cm 78"L x 39"W x 47"H
Usable belt	120L x 49W cm 48"L x 20"W	209.6L x 48.3W cm 82.5"L x 19"W	130.8L x 38.1W cm 51.5"L x 15"W	146L x 43W cm 57.5"L x 16.9"W	169L x 55W cm 67"L x 22"W	165L x 50W cm 65"L x 20"W	160L x 50.8W cm 63"L x 20"W
Floor Load Weight	80 kg (with height adjustable floor, therapist need not stay in tank, 80kg for pet is enough)	99 kg	Not specified	100 kg	125 kg	114 kg	100 kg
Materials	SUS304 stainless-steel and tempered glass	Stainless-steel and structural glass	Stainless steel and clear acrylic panels	Not specified	Stainless steel and clear acrylic panels	Stainless steel and clear acrylic panels	Medical-Grade Stainless Steel and glass
Adjustable speed	0 - 4.0 km/h	0.32 – 11.3 km/h	0.16 – 14.48 km/h	0.5 – 5.5 km/h	0.16 – 9.65 km/h	0.32 – 14.48 km/h	0.2 – 12 km/h
Adjustable incline	4 levels	√	x	0 - 15°	optional	√	√

Adjustable-height treadmill	0 - 55 cm	x	x	27 – 77 cm	x	x	x
Water dept	0 – 60 cm	2.5 - 60 cm	0 – 68.6 cm	0 – 70 cm	0 - 76 cm	Not specified	0 – 60 cm
Touchscreen control panel	7" touch screen 	√	 √	button control 	√	 √	 √
Increases water resistance (Jet)	√	x	optional	√	optional	optional	
Water filtration system	2 stage filtering (rough and fine filter (10 microns)	Not specified	√	Aqua filter with UV lamp	√	UV/Ozone filtration	Manual chemical dosing and UV filtration
Overhead Arm with Support Belt	full support bracket and wellsuit belt (2 size)	Not specified	Not specified	√	Not specified	Not specified	optional
Water Storage (add-ons)	Need not Storage Water	√		√			
Storage Tank			182.9Lx73.7Wx195.6Hcm Weight: Empty: 272 kg		168Lx74Wx175.3H cm Weight: Empty: 90.7 kg Full: 1603 kg	65"L x 29" W x 68"H Capacity: 400 gallons	
Picture							